

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 3295-0715:101

Page 1 of 1

CATEGORY: Fire-Rated Door

LISTEE: New England Lead Burning, 1840 Williams St., San Leandro CA 94577.
Contact: Mike Johnson (510) 357-9940 Fax (5190) 357-7909

DESIGN: Particleboard lead sandwich core and wood faces with or without laminate. Refer to listee's data sheet for detailed product description and operational considerations.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: CSFM and EEL label.

APPROVAL: Listed as a 1/3-hour fire-rated door when installed in a door frame listed for the wall construction where x-ray protection is required.

NOTE: Formerly 3300-0715:101



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 16, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND**, Senior Deputy
Program Manager